

WHERE MAGIC HAPPENS...



USA | OUTDOOR 2020/21

MIAMIDADE COUNTY
APPROVED

ALUMINUM PERGOLAS

CARPORTS

SIDING ELEMENTS

OUTDOOR ELEMENTS



Enjoy more of your outdoor space in style

A backyard is there to be enjoyed to the fullest, to spend as much time in it as possible. Whether it's barbecuing with friends, bathing in the sun, enjoying some alone time or with your family. All of us feel recharged when we spend time outside.

But you don't want to limit your beautiful outdoor space just to the back of your home. You want to create visual continuity throughout the outside of the home.

Thanks to the Renson® Outdoor Concept, you can design a beautiful, uniform, and enjoyable outdoor space.

The possibilities to protect yourself from the wind, sun, rain, or cold are numerous and the expansion and customization options are varied. Your backyard or patio, and the rest of the environment around your home, become a natural extension of it so that you can spend time outside in optimal conditions and in the greatest of comfort.

Renson®'s outdoor products provide that extra living space, tailored to your style and requirements. A place for the children to play outside, an intimate space where you can enjoy a book and some alone time, that cozy outdoor space to have a drink with friends and family, the possibilities are endless.

Renson®'s products can also provide that much needed storage room, covered parking space for your car, privacy fence from your neighbors, decoration and lighting for your front and backyard, just to name a few.

There are many design and color choices available with Renson®'s outdoor products that blend seamlessly with the existing style of your home. Allowing you to make maximum use of your backyard, patio, deck, and the surroundings of your house all year round.

NTRO	7	
3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
REFERENCES RESIDENTIAL	8	SHA BE
REFERENCES COMMERCIAL	20	
COMPLETE CONCEPTS FOR APARTMENTS	32	
1 ALUMINUM PERGOLAS	45	0
CAMARGUE® LINE	47	
ALGARVE® LINE	75	
AERO® LINE	91	
LAPURE®	105	
APPLICATIONS FOR PORCHES	112	
CUSTOMIZATION	117	
CERTIFICATIONS	147	
MIAMI DADE TESTING	152	
FAQ RANGE	158 160	
NANGE	100	
2 CARPORTS	163	
ALGARVE® CANVAS	165	
3 SIDING ELEMENTS	171	
LINARTE®	180	anni anni
LINIUS®	188	
LOGGIA® SLIDING PANELS	192	TI DESCRIPTION OF PERSONS ASSESSMENT
		Fig. 10, 600 person file.
4) OUTDOOR ELEMENTS	197	To Partie to Section 1
LIGHTING - LINARTE OUTDOOR LIGHT	201	NAME OF TAXABLE PARTY.
SEATING & PLANTER UNIT - LINARTE MODULO	202	
FREESTANDING WALL - LINARTE ICON	204	
ESAFE - MAIL BOX	206	
WARRANTY & MAINTENANCE	208	VANIA A TOTAL AND
) II
		The state of the s
		3







Why choose Renson® Outdoor?



Top quality and durability

Renson® is a European trendsetter in the field of natural ventilation, sun protection and outdoor living accessories. Our high-quality products are manufactured in-house using our ultramodern production facilities. We put our products in the most extreme situations to ensure the end result is flaw-less. This testing process means our customers can rest assured they're investing in a superior product. With our network of well-trained authorized dealers, we can guarantee a flawless installation and service experience. Our professional approach extends to every aspect of our business.



Minimalist design

Our products are highly innovative in both their look and design. Seamless integration of optional elements, hidden parts and fasteners, durable materials and smart solutions combine into a perfectly finished product that can be integrated into every type of home.



Endless possibilities of customization

With our modular product design and countless integrated options, we can offer you the perfect customizable solution. Bespoke screens, a large selection of colors, sliding panels in various designs and glass walls are just a few of the options that allow you to create a unique personal solution.



User-friendly and low maintenance

Our products are designed to retain their quality and ease of operation for many years, in all types of weather. To ensure you can enjoy our products every day with as little maintenance as possible, we use materials of the highest quality that are guaranteed to last.










































































4







- Algarve® aluminum pergola p. 85
- 2 Linius® siding element p. 133
- Side element Zipshade® sun shade p. 137
- Linarte® Modulo 55 SIT p. 202
- 5 Linarte® modulo combination p. 202

































CAMARGUE® LINE CAMARGUE® & CAMARGUE® SKYE

Inspiration	4
Features	
 Camargue®: an aluminum pergola with a louvered roof – blades rotate Camargue® Skye: an aluminum pergola with a retractable 	6
louvered roof - blades rotate and retract Installation options	7
Accessories	
• Lighting	11
Heating and sound	11
Translucent blades - Lineo® Luce	12
Side infills	
• Intro	12
Outdoor curtains	12
Glass sliding panels	12
Loggia® sliding panels	13
Linius® and Linarte® siding elements	13
Loggia® quick passage / sliding door	13
Integrated Zipshade®	13
- Fibreglass fabric Zipshade®	13
- Crystal fabric	14




























































GLASS FIBER FABRIC PROVIDES ELEGANT AND STRONG PROTECTION





BRAD & MONICA

After living in the downtown core for years, we decided to build our dream home in the suburbs. Finally, we had a backyard, a quiet setting, and nature that brings us both peace. But we discovered that we could not enjoy our garden as much as we wanted to. Often the wind blows in the spring; then it can sometimes get too hot in the summer.

In August, the evenings cool down quicker and you have more regular showers. By installing a pergola with a louvered roof, we increased our time outside. The side construction protects us from the wind. The screens can be adjusted to our desired height in the summer. And in the event of a sudden shower, we can close the roof blades. The time we spend outside has increased dramatically. Our backyard has brought use tremendous joy and improved our quality of life.







UL LISTED (STANDARD)

MIAMI-DADE COUNTY APPROVED*
(OPTIONAL) - HURRICANE PROOF
SEISMIC RESISTANCE (OPTIONAL) SEISMIC INNER COLUMN AND BASEPLATE

CAMARGUE®

Fully integrated design solution

The roof of this aluminum pergola is made of extruded aluminum blades that can be rotated to regulate sun protection and ventilation depending on your needs. Controlling it is simple with a Somfy remote control. The roof is waterproof when closed. The water is diverted to the columns via the integrated drainage channels. This water removal system also works when you rotate the blades to the fully open position after it rains, which ensures furniture on the patio is still protected and remains dry.



Efficient, integrated water drainage (see also Protecto p. 123)



Controlled water drainage even with the blades open

*NOA number: 19-0611.04







CAMARGUE® SKYE

A pergola with a retractable louvered roof

The most exclusive addition to the Renson® louvered roofs range has aluminum blades in the roof which rotate and slide open. The blades offer protection from the rain, sun and wind. Hot air can escape in the summer and you can slide the roof open in the winter to enjoy the sunlight to the fullest. It is still important, especially when the Camargue Skye is mounted to a wall, that sunlight can still shine into the home. The Camargue Skye's louvered roof blades are designed in such a way that they drain any moisture sideways.

All screws and wiring are out of sight. The louvered roofs can be fitted with LED lights in the columns or profiles, or with a multifunctional design beam containing heating elements and speakers. Camargue Skye can be constructed in different ways: freestanding or attached to an exterior facade. Windproof screens, sliding glass panels, a fixed wall made of aluminum or wood even outdoor curtains are all add-ons to our Camargue Skye product.







S-Drive Technology

Reliable, durable rotation and sliding technology (tilt & stack) thanks to the patented S-Drive Technology.

- Roof blades can be rotated to allow warm air out and protect from sun, rain, or wind
- Roof blades slide open to allow the maximum amount of light in and provide wide open views
- The roof is perfectly even when closed
- Double-walled blade for greater snow-bearing capacity
- Synchronized drive on both sides of the blades: the roof will open and close in one smooth movement even when loads are asymmetrical
- No gaps between the blades

INSTALLATION OPTIONS

Types of installation

There are two types of installations for the Camargue Line: freestanding and facade mounting.



Freestanding: the frame of the Camargue is supported by four vertical columns



Facade mounting: the frame is placed with one or two sides against an underlying, supporting construction or structure. Vertical columns support the other part.

The blades can be positioned parallel or perpendicular to the support structure.

Expandable

The Camargue Line can be extended using one of the larger spans or pivots to cover larger surface areas. In this case, a coupling side beam is used.



Camargue coupling on pivot side



Camargue Skye two-part coupling on the span side, similar slide direction and orientation



Two-part coupling on the span side



Camargue coupling on the pivot and/or span side



Camargue Skye two-part coupling on the span side, opposing slide direction and orientation

Integrated Zipshade®

By integrating the vertical sun protection, the integrated Zipshade, with or without Crystal Windows to maximize a view of the outside, you can create an extra outdoor room where the users are protected from sun, rain, and wind. These screens come in 50 colors and allow you to customize the Camargue Line and create the atmosphere you desire.



The Camargue Line is fitted with the integrated Zipshade in the span and pivot side

Customization options

The Camargue Line can have various elements fitted to the front and/or sides. By adding side elements, you create infinite possibilities for customization.



Loggia sliding panel: Loggiawood, Loggiawood Privacy, Loggiascreen Canvas, Loggialu, Loggialu Privacy



Sliding glass wall + integrated Zipshade



Loggia easy passage: Loggiascreen Canvas



Linius fixed walls: full passage height or desired height + Linarte fixed wall



Sliding glass walls




Curtains


Mounting bases

There are three types of mounting bases: visible, invisible, and invisible cast mounting.


If Side infills are used or this is used in locations with increased wind forces, a reinforced mounting base is also available in visible and invisible versions.



Visible mounting base



Invisible mounting foot



Cast mounting base





ALGARVE® LINE MADE IN THE USA



ALGARVE® & ALGARVE® CANVAS

Inspiration	72
Features	
Algarve®: an aluminum pergola with	
a louvered roof – blades rotate	85
Algarve® 'Classic Line'	80
Algarve® Canvas: a patio cover with a canvas screen	87
Installation options	88
Accessories	
Lighting	118
Heating and sound	118
Translucent blades - Lineo® Luce	122
Side infills	
	105
Side elements	125

Outdoor curtains

• Zipshade® base

- Crystal fabric

• B-screen tension ceiling

• Linius Wall

Glass sliding panels

• Loggia® sliding panels

- Fibreglass fabric Zipshade®

127

128

130

133

139


139

141

143





















ALGARVE® LINE

CLASSIC IS ALWAYS TIMELESS

号出到30别
















ALGARVE®

Aluminum pergolas with horizontal sun protection roof with rotating blades

This simple, pergola has a sun protection roof with rotating blades. The extruding aluminum blades can be rotated up to 150°, thus allowing you to determine how much sun protection and/or ventilation you desire. The blades form a waterproof roof when closed. The rainwater is diverted to the columns via a drainage gutter. The Algarve fits in with any architectural style, whether its contemporary, classic or modern, thanks to its seamless design, and availability in range of colors.



Drainage gutter (see also Protecto p. 123)



150° rotation





ALGARVE® CANVAS

This elegant patio cover with a canvas screen offers lasting protection thanks to a fixed roof consisting of two layers. The first is white colored made of anthracite-coated steel with an anti-condensation coating and the second is an aesthetic layer on which hangs the stretched canvas outfitted with zip technology. The screen is tautly stretched in the structure, without any visible additional beams. It is available in eight colors. Algarve Canvas has many practical uses including a fixed patio cover, carport, or as an awning above the front door. By combining the Algarve rotating pergola with the Algarve Canvas it is possible to create a single, uniform style around the house.




Roof section



Water drainage

INSTALLATION OPTIONS


Types of installation



Algarve - Freestanding



Algarve Canvas - Freestanding



Algarve - Facade mounting




Algarve Canvas - Facade mounting



Customization options




Loggia




Sliding glass walls



Surface-mounted Zipshade



Linius fixed wall



Curtains

Zipshade® 100 Slim F / Zipshade® 150 F - Algarve® Line

To close off the sides of Algarve Line, it is possible to combine them with the Zipshade 100 Slim F and the Zipshade 150 F. This allows the box for the sun protection screen to be mounted underneath the frame profiles so that this connects perfectly with the basic construction.

Expandable

Algarve can be coupled in two parts (width-wise) so that exceptional areas of 20 x 20 ft can be covered without middle columns disrupting the view. Moreover, the Algarve Line in its coupled version is perfectly feasible with a louvered roof in one part of the roof and a fixed roof in the other part.



Algarve - two-part coupling on the span side



Algarve coupled with Algarve Canvas



Algarve Canvas - two-part coupling on the pivot side






AERO® LINE AERO® AERO® CANVAS

Inspiration	93
Features	
 Aero®: a louvered roof that can be 	
integrated into an existing structure	101
 Aero® Canvas: a fixed roof that can be 	
integrated into an existing structure	103
Accessories	
Lighting	118
Heating and sound	118
Translucent blades - Lineo® Luce	122

























AERO®

This unassuming roof with adjustable blades provides unparalleled sun protection and compliments any design style

This simple roof structure, without columns but with rotating blades, creates a sun protection barrier. The extruding aluminum blades at the top can be rotated up to 150°, allowing you to control how much sun protection and/or ventilation you want. The blades form a waterproof roof when closed. The rain water is diverted to the corners via a drainage gutter. The Aero compliments any architectural style, whether its contemporary, classic or modern, thanks to is elegant, lite design and availability in all of the RAL colors.



Drainage gutter (see also Protecto p. 123)



150° rotation





AERO® CANVAS

A minimalist cover that can be integrated into an existing or new support structure

Aero Canvas is equipped with a fixed roof, consisting of two layers: an upper roof and a lower roof. The upper roof is extremely sturdy and constructed from coated, profiled steel sheets with an anti-condensation coating. The lower roof creates a sleek, look and is finished with a tautly stretched fabric using Zipshade Technology. From screws, to bolts and all wiring are not visible to the user. The optional Up/Down lighting ensures that this architectural cover is also attractively accentuated at night. The Aero Canvas fits in with any design style, whether its contemporary, classic or modern, thanks to its elegant, lite design and availability in all of the RAL colors.



Drainage gutter




Roof section























LAPURE®

Minimalist windproof retractable awning with waterproof, sun protection Zipshade® screen roof

The stylish, minimalist Lapure awning consists of a windproof, waterproof, sun protection screen roof that rests on elegant, discreet aluminum columns with no distracting sideways connection beams. It is anchored to an existing facade. When the roof is closed, the Lapure provides protection from the sun, wind and rain. When the roof is open, you can enjoy the sun as the delicate structure is not visually disruptive. There are two types of columns for the Lapure: 'end columns' with water drainage (via side channels and columns, even when half is open). Or you can also opt for 'shifted columns' (with roof overhang and water drainage via gutters, even when half open). The latter has a roof overhang that juts out past the columns so as to provide the optimum amount of shade. This lets you enjoy enough shade, even when the sun is low in the sky, for instance. A 'coupled' version is also possible so that two or more roofs can be perfectly placed next to each other to span large dimensions (only one column when coupled). Thanks to the range of colors choices for the structure, the Lapure blends in to every environment and suits every architectural style.



Coupled version with end column



With shifted columns





INSTALLATION OPTIONS

Types

1 roof section

Without roof overhang (with 'end columns')



With roof overhang (with 'shifted' columns)






2 roof sections






3 roof sections



Customization options



Lapure fitted with an integrated Zipshade and sliding door using Loggiascreen Canvas in the Side



The Lapure 'Classic Line' creates a classic, traditional style by adding decorative elements: stylized columns and finials in a globe or diamond shape.



1 roof section between 13 and 20 ft: including a cross-beam (with or without LED)







APPLICATIONS FOR PORCHES

Transform your patios, decks, porches, lanais, verandas, entry ways and courtyards by:

- Adding a bespoke Renson pergola attached to your house
- Integrating an Aero louvered roof in an existing structure
- Integrating ZipShade sun shades by Renson, which are perfect for:
- Privacy
- Sun shelter
- Wind & rain protection
- Comfort/Light control
- Bug protection





















CUSTOMIZATION

Accessories

Lighting	118
Heating and sound	118
Translucent blades - Lineo® Luce	122
• Protecto	123
Side infills	
Side elements	125
Outdoor curtains	127
Glass sliding panels	128
Loggia® sliding panels	130
Linius Wall	133
Loggia® quick passage / sliding door	134
Integrated Zipshade®	137
Zipshade® base	139
- Zipshade® fiberglass fabric	139
- Crystal fabric	141
Waterproof screen roof	142
B-screen® tension ceiling	143
Aluminum color selection	144
Automation	144

LIGHTING, HEATING, AND MUSIC

ENJOY EVERY MOMENT OF THE DAY.

When it starts to get dark, you simply switch on the integrated **lighting**. The choice of lighting lets you create the desired mood and feeling.

You can continue to enjoy your patio, even when it starts getting colder. **Heating elements** can be provided to make this possible. The radiated heat ensures an even distribution of warmth throughout the space with a minimum of heat loss. And thanks to the integrated flat panel speakers, you can even enjoy your favourite **music** on your patio.

Lighting

You can choose between cool or warm white lighting to create the desired mood and feeling. Moreover, the LED lighting in most patio covers can be dimmed so that the intensity of the lighting can be adjusted to the situation. The lighting for Lapure is integrated into the roof structure. You can opt for LED lighting that is integrated into the roof blades in Camargue Line, Algarve Line, and Aero Line. Upwards

or downwards lighting can also be provided on the inside of the frame. With Camargue and Camargue Skye, atmospheric lighting is also available in the columns.

You can choose between warm white light (perfect for cozy gatherings with friends), pure white light (perfect for reading) and RGB (only available as uplighting in the frame) to create the desired mood and feeling. Moreover,

the LED lighting can be dimmed so that the intensity of the lighting can be adjusted to the situation. The Renson® LED lighting's exceptionally durable quality ensures even lighting without any bright spots. Algarve Canvas and Camargue Skye can be equipped with atmospheric Up-Down LED lighting











Colomno LED Light

LED lighting integrated into the columns - **Camargue Line**. A maximum of one LED strip can be incorporate into each column (on the inside of the beam). There can be a total of four columns fitted with integrated LED Light lighting per roof section.



UpDown LED Light

Integrated LED lighting on the inside of the frame. Fitted with lighting running upwards and/or downwards. This lets you create indirect or direct atmospheric lighting with the **Camargue Line**, **Algarve Line**, and **Aero Line**. A total of two UpDown LED lighting modules can be installed per roof section. This can be done on either the pivot side or the span side.



Lineo LED Light

LED lighting integrated into the blades - **Camargue, Algarve,** and **Aero**. Even distribution without visible bright spots thanks to high-quality LEDs (55 per foot).

Lapure® LED Light

LED lighting integrated into the Lapure cross-beam.


Even distribution without visible bright spots thanks to high-quality LEDs (55 per foot).

	Warm white light	Pure white light	RGB (color)	Dimmable
Lineo® LED Light*	✓	✓		✓
Colomno LED Light**	✓	✓		✓
UpDown LED Light** Upwards	✓	√	✓	✓
UpDown LED Light** Downwards	✓	√		✓
Lapure® LED Light*	1	✓		✓

^{*} Warm white: 506lm/ft (55 LEDs/ft) / Pure white: 506lm/ft (55 LEDs/ft)



^{**} Warm white: 168-207lm/ft (37 LEDs/ft) / Pure white: 168-207lm/ft (37LEDs/ft) RGB: 168-213lm/ft (18LEDs/ft)




Integrated heating elements and loudspeakers




How long does it take the heater to reach maximum heat?

Working with a short-wave system, means the heater reaches maximum radiate heat levels almost immediately. Short-wave radiated heat is like radiated heat. You heat up the objects and not the space.

Long-wave infrared heaters have a longer warm-up time than the short-wave heaters. They need air to transmit heat. Depending on the ambient temperature, size of the cover, if it's closed or not, etc., it can take some time before you feel this radiated heat, to the maximum.



Heat effect with one side heated (20ft x 13ft format)



Heated effect with two sides heated (20ft x 13ft format).

Perfect heater position

The perfect position for the heater is across from the fixed wall so that you can enjoy the reflected heat.






Heated enclosures

To enjoy your heater to the fullest, we recommend adding components (such as glass walls, Zipshade, etc.) that will enclose the sides of the patio cover.







Light under the patio cover with roof closed

Camargue®

This is the ideal solution for letting the light in even when the roof is closed!







SIDE ELEMENTS

ENDLESS CUSTOMIZATION POSSIBILITIES

All covers can be outfitted accessories (such as sun protection fabric, sliding panels, glass walls, etc.) fitted to the front and/or sides. This means there are endless options for customization along the front and side of your louvered roof.

Lowered windproof, aluminum Zipshades create a protective cocoon. Thanks to the partial transparency of the screens and the use of Crystal windows, you don't lose the view of the backyard. You've also got a wide range of colors to choose from. Every color combination is possible and can perfectly be combined with other materials, such as the backyard furniture. In the open position, the screen is invisible and the motor is also completely concealed within the structure. You can also opt for sliding glass walls. When combined with wind-proof screens, you also retain the benefit of the sun protection. Elegant Loggia sliding panels with windproof fabric screens or (adjustable or fixed) wooden or aluminum blades are also an option. Wood (particularly cedar) is enjoying a resurgence and is easy to combine with other materials. You can even opt for a two-toned color finish when you combine sliding panels with aluminum blades.



OUTDOOR CURTAINS

(FOR CAMARGUE® LINE AND ALGARVE® LINE)

Fitted with curtains for outdoor use

Both the Camargue Line and Algarve Line can be fitted with outdoor curtains. This allows you to create a fairy-tale atmosphere under your louvered roof or pergola. These polyester curtains are specifically designed for outdoor use. They're waterproof, mold-resistant, repel dirt and retain their color even after years in the sun. These curtains are wrinkle-free, made to order and compliment the sliding glass walls and Zipshades of the Camargue Line. The outdoor curtains also go well with the UpDown LED lighting. This gives the patio a romantic feel at twilight.





Lounge 10

Lounge 22

Lounge 50

Lounge 120

SLIDING GLASS WALL

(FOR CAMARGUE® LINE AND ALGARVE® LINE)

Unparalleled elegance thanks to transparent sliding walls

Consider installing sliding glass walls to accentuate the elegance of **Camargue Line** and **Algarve Line**. Not only does this protect you from the elements, but the patio cover can also be a tremendous theft deterrent. In the event you're looking for additional sun protection, you can always integrate the vertical, windproof Zipshade coupled with a sliding glass wall. That will certainly block those harmful U.V. rays.

Additionally, you can combine the glass wall with the outdoor curtains, even when already combined with the integrated Zipshades. All of these choices will provide excellent sun protection.

Integration

Camargue Line & Algarve Line: available in span and/or pivot



The Camargue Line is fitted with sliding glass walls and integrated Zipshades in the span and pivot side




Algarve Line fitted with a glass sliding wall in the pivot

DISTRIBUTION OF SLIDING GLASS WALLS						
59 in. ≤ X ≤ 98 3/7 in. Width X	98 3/7 in.< X < 147 2/3 in. Width X	147 2/3 in. < X ≤ 206 2/3 in. Width X	206 2/3 in. < X ≤ 256 in. Width X			
3 panels	4 panels	6 panels	8 panels			
3 rails	4 rails	3 rails	4 rails			
Opens to the left or opens to the right	Opens to the left or opens to the right	Opens to the left and opens to the right	Opens to the left and opens to the right			
Incl. 1 handle	Incl. 1 handle	Incl. 2 handles	Incl. 2 handles			







LOGGIA® SLIDING PANELS

(FOR CAMARGUE® LINE AND ALGARVE® LINE)

You control the amount of light that comes in

With the vertical sun protection sliding panels, you can even influence the way sunlight penetrates under your louvered roof or pergola (dynamic sun protection). The sliding sun protection panels are made of aluminum frames with:



Types

- Loggiawood: wooden blades (Western Red Cedar)
- Loggiawood Privacy: rotating wooden blades (Western Red Cedar)
- Loggiascreen Canvas: fabric screen (fiberglass)
- Loggialu: aluminum blades
- Loggialu Privacy: rotating aluminum blades
- Loggialu wooddesign: aluminum blades with wood design
- Loggialu Stirata: expanded metal
- Loggiawood Linea: wooden slats (WRCedar)

Integration

Camargue Line: available in span and/or pivot

Algarve Line: available in span and/or pivot up to 177 1/6 in.

Privacy

Manually adjustable wooden or aluminum blades. The **Privacy** version of the Loggiawood and Loggialu sliding panels have blades that can be rotated manually to be fully open or closed.









UNIQUE: Loggia sliding panels and roof blades in the same wood design

Wooddesign

Camargue Line, Algarve, and Aero Line fitted with aluminum roof blades in wood design

- Natural appearance of wood combined with the advantages of aluminum in terms of:
 - Ease of maintenance
 - Colorfastness
 - Maintains the shape
- Also available for the LED blades
- Combines perfectly with the Loggialu Wood design sliding panels
- Roof blade in wood design (frame and columns have standard coating)
- Available in 3 types:
 - White oak
 - Natural oak
 - Walnut









Natural oak Walnut





LINIUS & LINARTE FIXED WALL

(LINIUS FOR CAMARGUE® LINE AND ALGARVE® LINE & LINARTE FOR CAMARGUE® LINE)

Physical barrier or decorative finish for the supporting wall

The Linius or Linarte bladed wall lets you create a physical barrier and decorative finish for the supporting wall. The fixed wall is available as a single or a double-sided, cladded barrier across the entire passage height, or can be finished at a customized height with a top profile to create a railing. Ideal as a border for patios in the hotels, restaurant, and catering sector. The Linarte fixed support structure ensures that the connection between the finishing blades is not visible, which creates an unbroken line along the entire width. The wall fits neatly into the space in the columns on both the front and back sides. Height differences in the floor up to 2 ½" are compensated by the finishing plinth, so that no annoying openings are visible at the bottom. The wall is custom finished in the color of your choosing. Moreover, the double-sided wall allows for the application of sound proofing. This way, you can enjoy the nature around your patio cover in utter relaxation.

LOGGIA® EASY PASSAGE / SLIDING DOOR

(FOR CAMARGUE® LINE AND LAPURE®)

Ideal if the louvered roof or awning is completely enclosed (e.g. by Zipshade) and you want to quickly get to or from the pergola without having to open the Zipshade (no loss of comfort for those sitting under the louvered roof or awning).

The easy passage consists of an aluminum frame covered on one side with a glass fiber screen of your choice.

Integration

Camargue Line: available in span and/or pivot

Lapure: available in side

Width: min. 31 1/2 - max. 47 1/4



Camargue fitted with an integrated Zipshade and sliding door using a Loggiascreen Canvas in the Span side



Lapure fitted with an integrated Zipshade and sliding door using Loggiascreen Canvas in the Side







INTEGRATED ZIPSHADE®

(FOR CAMARGUE® LINE)

Perfect integration, even afterwards!

Perfect for:

- Privacy
- Shade when the sun is low in the sky
- Protection from wind, rain, and insects





Thanks to a revolutionary zip system, the screen is windproof in every position and is insect proof when closed. It is an incredibly well thought out principle in which the sun protection fabric has a special zipped trim. This ensures that the entire structure is held firmly in place by the two side channels.

By integrating this Zipshade, with or without Crystal windows to keep a view of the outside, you can create an extra outdoor room where the users are protected from sun, rain, and wind. Available in more than 50 colors, these screens allow you to personalize the Camargue Line and create the atmosphere you want.

Connect&Go technology

The integrated Zipshade is fitted with our patented Connect&Go technology. This new development provides an enormous advantage for installation, as well as for removing the fabric roller tube when replacing a screen or motor.

Custom print

Aside from our standard range, fabrics can also be customized. Options include printing your business logo or a photo onto a screen underneath your pergola, louvered roof or awning.



* 5-year warranty on Zipshade technology for freestanding Zipshade applications

Bottom bar disappears into the box

The Camargue Line's frame profiles are developed in such a way that the bottom bar is hidden away in the box when the screen is raised. Perfect integration, even after-wards!



Bottom bar disappears into the box







ZIPSHADE® BASE (FOR ALGARVE® LINE AND LAPURE®)

Enclosing the sides

To close the sides of Algarve or Lapure, it is possible to combine them with the Zipshade 100 Slim F or the Zipshade 150 F.

This means the screen box housing can be mounted underneath the louvered roof or pergola's profile not disturbing the sight line at all.

ZIPSHADE® GLASS FIBER FABRICS

(CAMARGUE® LINE, ALGARVE® LINE, AND LAPURE®)

Transparent sun protection fabric

The best choice in transparent sun protection fabric for windproof vertical sun protection is glass fiber fabric. Fiberglass fabrics score the highest in terms of tension and rigidity, and are also highly resistant to moisture and heat, all while maintaining the view.

We offer a wide range of colors so that you can find the fabric that suits you perfectly.

The Architects' Selection is a range of colors that are very popular in current design and building trends. Our Renson® Ambassadors will be happy to assist you in making your choice.

The fiberglass fabrics are also available with a Crystal window, providing a crystal-clear view.






CRYSTAL FABRIC

Unobstructed contact with the outdoors

Transparent Crystal fabrics can be fitted in the fiberglass fabric of the Zipshade to maintain optimal contact with the outdoors. This transparent type of fabric is made from PVC (Fire classification M2). It be integrated into a fiberglass fabric with Zipshade 100 Slim F, Zipshade 150 F, and integrated Zipshade.

The Crystal fabric is always 47 1/4 high and extends across the full width of the Zipshade. A minimum distance of 15 3/4 applies between the Crystal fabric and the top and bottom edge of the Zipshade.



A distance of 31 1/2 to 39 3/8 from the bottom edge provides the best possible view for people underneath the louvered roof or pergola.



B-SCREEN TENSION CEILING

(ALGARVE® CANVAS & AERO® CANVAS)

The roofs of Algarve Canvas and Aero Canvas are finished with a unique patented tension ceiling. Fiberglass fabric is stretched using the proven Zipshade technology into the frame for a horizontal, seamless and clean finish of the ceiling without annoying intermediate beams.



B3-0202 White



B3-0220 White Linen



B3-2020 Linen



B3-0720 Pearl Linen



B3-0207 White Pearl




B3-0707 Pearl



B3-3001 Charcoal Grey



B3-3030 Charcoal



COLOR SELECTION ALUMINUM

AUTOMATION

Available in more than 100 textured coating colors

Our patio covers are powder coated with 'Seaside quality'pre-treatment as standard. The products are available in over 100 RAL colors in textured coating at no extra cost.

Renson® recommends using architectural textured coatings to get an architectural, contemporary look. In addition, textured coatings are more suitable for outdoor use and will hide any scratches much better.



Easy remote operation

You can operate your patio cover easily using Somfy automation. You can operate the roof and/or the screens of your patio cover by remote control. Depending on the desired use and the number of screens, you can choose from several different remote controls.

Thanks to MyLink, Somfy's control interface, your patio cover can be controlled from your smart-phone, tablet, or computer.

We recommend installing rain and/or wind sensors for an optimum level of comfort.



somfy.







CERTIFICATIONS

Weather-resistant

149 Tests

150

PERFECT OUTDOOR CLIMATE, DAY AND NIGHT, IN ANY SEASON, THANKS TO **RENSON**®









WEATHER-RESISTANT

Can be closed to block out rain and wind

Lapure is an awning that is a waterproof and transparent sun protection screen. The Zipshade technology combined with optimum screen tension ensures that rainwater is drained off via hidden channels. Even if the sun protection screen is not fully unrolled, the water that falls on it is drained away via this integrated water-drainage system.

Camargue Line, Algarve, and Aero Line are pergolas or louvered roofs equipped with rotating blades. These patented blades are designed in such a way that the water is diverted to the side even if the blades open up after it rains.



The Lapure can maintain a precipitation rate intensity of 11 gal/yd²h for up to 2 minutes. In heavy rainfall, water can flow over the bottom bar. Extreme rainfall can cause water sagging. In that case, the fabric must still be rolled up.



Algarve Line can drain an amount of water equivalent to rains with an intensity of between 26gal/yd²h and 33gal/yd²h that last up to 2 minutes maximum. These kinds of rains occur on average once every 10 years in Belgium. (See Belgian rain statis-tics: NBN B 52-011 norm)



Camargue Line can drain an amount of water equivalent to rains with an intensity of 33 gal/yd².h that last up to 2 minutes maximum. These kinds of rains occur on average once every 15 years in Belgium. (See Belgian rain statistics: NBN B 52-011 norm)

TESTS

Protection and comfort

Our louvered roofs, pergolas, and carports offer protection and comfort at various levels. To guarantee they can do so, they are thoroughly tested for water resistance, load-bearing capacity and wind resistance.

Water tested

Water resistance and water drainage are tested using a spray installation that mimics rain. For example, we check how much water our patio covers can drain and how this drainage can be optimized:

- Algarve Line: Algarve Line can drain an amount of water equivalent to rains with an intensity of 26 gal/yd²h that lasts up to 2 minutes maximum.
- Camargue and Camargue Skye: The Camargue and Camargue Skye can drain an amount of water equivalent to rains with an intensity of 33 gal/ yd²h that lasts up to 2 minutes maximum.
- Lapure: Lapure can drain precipitation with an intensity of 11 gal/yd²h that lasts up to 2 minutes. In heavy rainfall, water can flow over the bottom bar.

Load-bearing capacity

Patio covers are subjected to various external forces (e.g. snow). The load-bearing capacity of our patio covers is determined using static strength calculations carried out by our engineers and validated through internal tests. The basic principle is that the structure is allowed to



bend by 1/200th of its longest dimension without any permanent deformation.

The load-bearing capacity of Algarve and Camargue is dependent on the basic structure and the surface area. The load-bearing capacity of our pergolas depend on their pivot and span dimensions.

In concrete terms: A patio cover with a pivot of 236 2/9 and a span of 157 1/2 may bend by 1 1/6 under a load of 11.26 lb/ft².




40.9 psf



Wind tests

In order to determine the wind forces that our patio covers and vertical sun protection screens can withstand, wind tunnel tests were carried out.





Beaufort scale

	Warranty with closed roof/screen up to	Operating roof/screen to
Camargue®	99 mph 12 Beaufort	31 mph 7 Beaufort
Camargue® Skye Algarve® Line Aero® Line	74 mph 11 Beaufort	31 mph 7 Beaufort
Lapure [®]	62 mph 10 Beaufort	31 mph 7 Beaufort
Integrated Zipshade®	37 mph 7 Beaufort	18 mph 5 Beaufort
Zipshade® in base	37 mph 7 Beaufort	18 mph 5 Beaufort

UL Listed (standard) - Underwriters Laboratories, is a global independent safety science company that conducts safety solutions for the technologies. Electrical Safety: ok Consumer Safety: ok



LISTED

Seismic Resistance (optional on Camargue) - The Renson® Camargue is a cantilevered-column system. All seismic resistance comes from moment resistance at the base of each column.

Beaufort	Description	Average speed in mph	Results
0	Calm	< 0.6	You don't feel the wind. Smoke will rise virtually straight up.
1	Light air	0.6 - 3.1	Wind direction can be read from the smoke plume, but not from the weather vane.
2.	Light breeze	3.7 - 7.5	Wind can be felt on the face, leaves rustle, the weather vane moves visibly with the wind.
3	Gentle breeze	8.1 - 11.8	Flags wave and leaves move about constantly.
4	Moderate breeze	12.4 - 16.7	Dust blown up irritates eyes. Hair is awry.
5	Fresh breeze	17.4 - 23	Bushes rustle, white tops on lakes and canals.
6	Strong breeze	23.6 - 29.8	Umbrellas are difficult to hold on to, large branches sway, power lines hum
7 ZIPSHADE®	High wind, moderate gale, near gale	30.4 - 38.5	It is difficult to walk into the wind. Trees sway.
8	Gale, fresh gale	39.1 - 45.4	Making headway is very difficult. Small branches break off.
9	Strong/ severe gale	46 - 54	Chimney tops, roofing tiles and antennas blow away.
10 LAPURE®	Storm, whole gale	54.7 - 63.4	Adults blow over. Major damage to buildings.
11 ALGARVE® LINE CAMARGUE® SKYE	Violent storm	64 - 72.7	Major damage to houses and forests.
12 CAMARGUE®	Hurricane force	> 73.3	Total destruction.

MIAMI DADE TESTING

Miami-Dade County (optional on Camargue)

Notice of Acceptance being issued under the applicable rules and regulations governing the use of construction materials. Reviewed and accepted by Miami-Dade County RER - Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).








Figure 1609B Risk Category IV Buildings and Structures and Category III healthcare facilities







TIPS

Column positions

Camargue Line, Algarve Line, and Lapure can also be ordered with 'shifted' columns. To give just one example, this can be useful if the patio covers needs to extend beyond the patio (but the columns need to remain on the patio), to ensure enough shade is provided even when the sun is low in the sky.

You can also choose shifted columns for placement or architectural reasons. The column can be shifted a maximum of 1/5th of the total pivot length.
















Blade rotation direction


The direction of rotation of your blades is important for the **Camargue Line**, **Algarve Line**, and **Aero Line**. Do you want to be able to protect against sunlight for as long as possible or allow sunlight to flow in as quickly as possible?

You can make this choice with Renson®. When adding a patio cover to a kitchen or a living room, for example, people usually want light get in as quickly as possible.

The blades rotate as standard, to the extent that the southern sunlight is blocked when opening the blades. Sunlight can also be allowed in with standard sun protection blades by rotating them further.



② When the blades are slightly turned in, the blades will move into the correct angle more quickly and the smooth, lovely underside remains visible.



Blade color

Camargue Line, Algarve Line, and Aero Line are available in bicolor (i.e. with roof blades in a different Top 100 color than the frame and columns) at no extra cost.

Tip: if your structure has a dark color, select a lighter color for the blades. A darker roof blade color creates the impression of a lower ceiling. A lighter color creates a sense of more space and has additional sun and heat protection properties.





Veranda

Is a louvered roof or pergola like the Camargue Line or Algarve Line similar to a veranda? No! A veranda is an extension of the living space enclosed in glass and creates an enclosed space that is completely wind and waterproof. In contrast, a patio cover is an open aluminum structure with a roof of rotating, aluminum blades that (possibly combined with side panels) primarily offers shelter from the sun and, to a certain extent, bad weather. The climate under a patio cover is essentially that of the outdoors, allowing users to enjoy the ambience, scents, colors, and sounds of the backyard. Condensation can be formed on the bottom of the blades in cold weather. Therefore, it is best to place weather proof backyard furniture under a Camargue Line or Algarve Line.

Wind - Camargue Line and Algarve Line

If high winds are forecast, we recommend closing the louvered roof (possible with wind speeds of up to 31 mph). Closing the louvered roof makes the entire structure more rigid, meaning it can withstand high winds much better. We also offer a warranty on our **Camargue Line** and **Algarve Line** with the roof closed for wind speeds of up to 99 mph for the Camargue and 74 mph for the Algarve!

Screen or blades

How do I choose between a patio cover with a louvered roof (Camarque Line, and Algarve Line) or a screen roof (Lapure)? Each type of patio cover has its own advantages. A patio cover with a sun protection screen can be opened up completely. This allows you to keep sunlight out or allow it to enter across the full extent of the roof, depending on the weather conditions. Patio covers with roof blades allow users to control the amount of sunlight based on their requirements; when there is too much sunlight, the blades can be closed completely, but the roof can never be opened up completely to maximise the amount of sunlight.





	Louvered roof	Screen roof
Roof	Horizontal	Always at an angle
Position	Constructed, recessed, or freestanding	Only constructed
View of 'open' roof	Roof blades rotate open but don't 'disappear'	'Roof' completely disappears
Light with a 'closed' roof	Opaque (except Lineo Luce blades)	Transparent
Load-bearing capacity	Can bear snow	Cannot bear snow
Color of the roof	All possible colors	Limited range of colors available for fabric screen roof

Low sun: Zipshade

When the sun is low in the sky, sunlight can come in underneath the patio cover and into your home. This is a great way to warm your house up naturally in winter. However, this sunlight can be disruptive at times and may cause temporary blinding, color fading or reflections on TV and computer screens.

The sun's rays are blocked thanks to vertical sun protection fabric (Zipshade) in the sides of your patio cover (Camargue Line). As the fabric used in Zipshades is transparent, your outside view is maintained.

Passage height

The passage height of a louvered roof (Camargue Line and Algarve Line) can be freely chosen. People usually choose a height based on their specific circumstances (for example, with a façade-mounted structure, there might be a roof gutter or window in the way) or for personal reasons; tall people might prefer a higher passage height to create a certain amount of 'openness'. On the other hand, it is best to have the lowest possible passage height for the most shade.

Orientation of the patio

Depending on the orientation of your patio, you can decide to position your patio cover differently. Patio covers with a screen (Lapure) or adjustable blades (Camargue Line and Algarve Line) are both good solutions for a south-facing patio. You can keep the heat of the sun at bay by rolling out the fabric or closing the blades. It is best to install the blades of a louvered roof parallel to the home. This gives you maximum control over the amount of sunlight that enters. You can choose to keep the light out entirely or partially or allow it to flood in.

For a north-facing patio, installing the blades perpendicular to the wall is a good idea. This is the best way to control the light coming in from the east and west.














E-NE-N-NW-W: blades perpendicular to the wall.

SW-S-SE: blades parallel to the wall.

THE MOST FREQUENTLY ASKED QUESTIONS ABOUT **RENSON**® ALUMINUM PERGOLAS...

Can a Renson® pergola be made to measure?

All Renson® covers are custom-made to within a quarter of an inch, at no extra cost.

What are the maximum dimensions?

This depends on the type of cover. Please consult the product table in this brochure. This table shows the possible dimensions of one roof module. Modules can be coupled to obtain larger dimensions.

Which colors are possible?

The top 100 RAL colors are available in architectural textured coating at no extra cost.

This allows you to match the color of your pergola to the carpentry of your home. The blades can be chosen in a top 100 RAL color other than the architectural textured coating at no extra cost.

Does the cover always have to be placed against a wall or can it also be freestanding?

Covers with louvered roofs (Camargue line and Algarve line) can be installed as either freestanding or against the construction.

The patio covers under the incline, with screen or fabric roof, can only be built against a house or other construction.

The Aero roofs are specially designed to be built into a new or existing support structure.

Don't the blades in the roof take away too much light?

You have full control over the intensity of the light with blades.

When closed, you have no light transmission or you can optionally install some glass or LED blades for more light.

When the blades are slightly rotated, you get a lot of light inside quickly. With the Camargue Skye, you can not only rotate, but also slide the blades to one side. This gives you a completely open roof.

Is a louvered roof completely waterproof?

In addition to sun protection, louvered roofs and fixed screen roofs also offer complete protection from the rain.

However, you should bear in mind that a louvered roof is an open aluminum structure, not to be confused with a veranda. Furniture and floors must therefore be suitable for outdoor use.

What options are available in a pergola?

The Renson® covers can be equipped with a wide range of accessories and thus perfectly configured to your personal taste. (Zipshade sun protection, Loggia sliding panels, sliding glass walls, lighting, heating, music, etc.)

Can I also enjoy my louvered roof during the other seasons?

This is certainly possible. The best way to do this is to equip the cover with the appropriate side inserts (Zipshade, Loggia, or sliding glass walls). Lighting and heating are also among the possibilities to enjoy in all seasons all year round.

How should I clean the louvered roof?

Your Renson® pergola will be fully exposed to the elements for many years. If you want to enjoy it optimally at all times, we recommend annual cleaning with the Renson Maintenance Set products. This maintenance set products will ensure that the intense color is maintained for years, as well as providing extra protection from acid rain, sea air, and UV rays (see also the increased warranty for yearly use).

Does an aluminum pergola increase the value of my house or property?

Of course. Official estimates of homes with a Renson® pergola also include this in the valuation of the property.

Investing in a Renson® pergola is therefore an immediate way to increase the value of your home!

Doesn't it get too hot under a louvered roof?

A louvered roof is not only protection from the sun; it is ventilating as well. If the air under the cover warms up too much, a ventilation effect can be created by simply rotating the blades slightly, so that the warm air flows away through the roof.

CAMARGUE® LINE BOOKS ALGARVE® LINE BOOKS ALGARVE®

HORIZONTAL DESIGN

TYPE	Camargue [®]	Camargue [®] Skye	Algarve® MADE IN THE USA	Algarve [®] Canvas
	UL CERTIFIED (STANDARD) MIAMI DADE COUNTY (OPTIONAL) SEISMIC RESISTANCE (OPTIONAL)	Source		

ROO	F INSERTS	Rotating blades	Rotating and retractable blades	Rotating blades	Fixed roof	
DIME	ENSIONS					
Max. width / pivot		244"/278" ***	244"	238	3 2/5	
Max.	depth / span	177 1/6		177 1/6 / 236 2/9 *		
Max.	passage height	110 1/4		110 1/4		
Expar	ndable	multi-part expandable		two-part expandable		
Min. i	ncline	no incline (0°)		no incline (0°)		
Max.	blade rotation	150°	145°	150°	-	
ACCI	ESSORIES					
	Integrated Zipshade	option	option	-	-	
	Surface-mounted Zipshade	-	-	option	option	
	Loggia sliding panels	option	option	option	option	
SIDE ELEMENTS	Loggiascreen Canvas sliding door	option	option	-	-	
	Glass walls	option	option	option	option	
H	Linius Wall	option	option	option	option	
DE	Linarte Wall	option	option	option	option	
S	Triangle	-	-	-	-	
	Outdoor curtains	option	option	option	option	
	Extra column	option	option	option	option	
	Shifted column	option	option	option	option	
	Adjustable wall profile	option	option	-	-	
Œ	Lineo LED	option	-	option	-	
Ž	UpDown LED	option	option	option	option	
LIGHTING	Colomno LED	option	option	-	-	
	Lapure LED	-	-	-	-	
μz	Beam Heat + Sound	option	option	option	-	
COMFORT & DESIGN	Translucent Lineo Luce blades	option	-	option	-	
	Wooddesign	option	option	option	-	

 $^{^{\}star} > 177$ 1/6 is possible when expanded, up to max. 236 2/9

^{**} up to 157 1/2 without cross-beam, > 157 1/2 to 236 2/9 with cross-beam

 $[\]stackrel{\cdot}{}$ Pivot >244" is possible in one roof section if an extra column is used, up to a max. Pivot of 278

HORIZONT	AL DESIGN	SLOPED DESIGN
AERO	LAPURE®	
Aero [®]	Aero [®] Canvas	Lapure [®]
Rotating blades Possibility to integrate roof in existing structure	Fixed roof	Retractable, waterproof, translucent sun protection screen
238 2/5	238 2/5	236 2/9 **
177 1/6 / 236 2/9 *	177 1/6 / 236 2/9 *	196 6/7
-	-	114 1/6
two-part expandable	two-part expandable	up to a max. width of 59 ft
		10°
150°	-	-
-	-	-
-	-	option
-	-	-
-	-	option
-	-	-
-	-	-
-	-	-
-	-	option
-	-	-
-	-	option
-	-	option
-	-	-
option	-	-
option	option	-
-	-	-
- ontion	-	option
option	-	-
option	-	-
option	-	-









ALGARVE® CANVAS

This elegant carport offers lasting protection by means of a fixed roof made up of two layers: a solid top roof made of white coated, profiled steel sheet with anti-condensation coating and an aesthetic lower roof, finished with a stretched canvas with zip technology. The screen is tautly stretched in the structure, without any visible additional beams. It is available in eight colors. Algarve Canvas is just as useful as a fixed patio cover, carport, or as an awning above the front door, for instance. In addition, the combination of an Algarve with rotatable louvered roof and an Algarve Canvas with fixed roof structure makes it possible to create a single, uniform style around the complete exterior of the home.



Roof section



Water drainage





INSTALLATION OPTIONS


Types of installation



Algarve Canvas - Freestanding



Algarve Canvas - Facade mounting



Algarve Canvas - two-part coupling on the span side





ALGARVE® CANVAS EXTENSION WITH STORAGE

Thanks to its smart design, Algarve Canvas can be extended. By closing off the walls, you can also create an adjoining storage room, where your bicycles, backyard furniture, lawnmower can be safely stowed away.

The extension of an Algarve Canvas carport can be extended along either the length or width of your carport. Whichever suits your needs best.



Example of an extension in length: 23 ft x 11 1/2 ft




Example of an extension in width: 16 ft x 18 ft









SIDING ELEMENTS

Intro

 Why choose Renson[®] siding elements? 	177
Siding, outdoor, indoor	178
Linarte	180
Overview of the range	184
• Inserts	186
Linius	
Overview of the range	190
Finger-trapping protection system	191
Loggia sliding panels	192
Overview of the range	195





THE ULTIMATE COMBINATION OF QUALITY AND DESIGN

Renson® pays a great deal of attention to the design, customization, and quality of the finish when developing its siding elements.

You create your siding elements according to your own taste. Horizontal or vertical, they can be integrated into a wide variety of styles: from classic to modern and contemporary. This way, you can create almost any look for your home.

Garage gates and doors blend seamlessly into one tight siding. Functional elements such as letter boxes, intercoms, or doorbells are seamlessly integrated. The high-quality finish makes them suitable for interior applications as well.

Renson® is committed to durability, as is the case with these aluminum siding elements. It is not only wear-resistant, but also resistant to all weather conditions. Lightweight yet strong and above all: extremely easy to maintain.





WHY CHOOSE RENSON® SIDING ELEMENTS?



Durable quality

Thanks to the construction of aluminum profiles, you can be sure of durable and sturdy façade elements that are resistant to the most extreme weather conditions. Furthermore, aluminum siding elements are also an environmentally conscious choice because aluminum has acquired the reputation of green metal through its 100% and infinite recyclability.



Sleek design

Are you looking to add a special touch to your home, shop, or company building?

With Linius and Linarte siding elements, you are guaranteed to be successful. Horizontal or vertical, in practically any color, for both indoor and outdoor, and even a seamless finish for curved façades or around corners. Thanks to the invisible fixations, you can show off an incredible result.



Endlessly customizable

A subtle design or a clear statement: get creative with the possibilities to customizable your siding: different inserts with wood or LED lighting, color combinations, or integrate your house number or company logo into the siding. External sockets, intercoms, letter boxes, or external faucets are subtly integrated.



Maintenance-friendly

Aluminum siding elements require hardly any maintenance. The powder coated profiles retain their color in all circumstances and are easy to clean.

FACADE, OUTDOOR, INDOOR



Beautiful siding elements

Linius or Linarte provide that finishing touch to an outside wall and can be perfectly combined with other materials for a unique look and feel. Looking for a unique outdoor facade? Let your creativity run free with Linarte wood or LED module inserts.



Patio cover in the same look and feel

If you're searching for aesthetic uniformity, you can even extend the siding elements to your patio. One or multiple sides can be closed off in the same finish under a louvered roof or pergola. One style for your entire home or building. This guarantees a sleek and uniform look.



Unique interior

The Renson® aluminum siding can be used inside and outside to give an otherwise dull wall. You can even let both seamlessly merge with each other. The high-quality materials make it perfectly possible to use, e.g. Linarte profiles to clad a stairwell.















LINARTE BLOCK 16

LINARTE BLOCK 30

The basic version of the Linarte block-shaped aluminum profiles are 5/8 deep. This limited depth creates a subtle vertical line pattern with restrained relief and a minimalist look.

The block-shaped Linarte profile with a depth of 1 1/6" creates a strong vertical line pattern. This results in striking shadow effect that brings a facade to life. These deep block profiles can be combined with wood or LED module inserts.








"Thanks to the simple click system, there are endless possibilities"

LINARTE EVEN

LINARTE MIX

The rib-shaped Even profile that is 1" deep provides the sleekest Linarte result and emphasizes the facade's vertical lines to the utmost. These profiles can also be combined with inserts in wood or LED modules.

Block or Even, all Linarte profiles can be combined. Let your creativity run free, create a unique play of shadow and light, and combine your facade with a personal character to your heart's content.









WOOD INSERTS OR LED MODULES

Wood or LED modules can be incorporated into both the 1 1/6" deep Block and the Even profiles. These inserts are available in various lengths and can be integrated anywhere in the facade: randomly, in a sleek line, or repetitively. It gives you one-thousand-and-one possibilities to finish to taste. Even intercoms, sockets, or house numbers can be integrated.
















LINIUS L.033

The Z-shaped Linius L.033 profiles are 4/5" deep. They give your facade a strong horizontal accent, sober and refined, with or without a ventilating function.






OUR TECHNOLOGIES

Linius finger-trapping protection system

Renson® has developed a special, patented mechanism for sectional gates that ensures fingers do not get trapped. When a finger accidentally comes between two sections of the gate, the aluminum profile turns away. Once the finger is removed, the profile returns to its original position on its own.










LOGGIA®

Decide how much light and sun you want in your home

The foundation of Loggia panels are aluminum and their optional slats are either made of either wood or aluminum themselves. The aluminum or wood blades are also available in a tilting version (Privacy). You can open or close it according to the amount of light, sun, or privacy you want.















LINARTE OUTDOOR LIGHT

Linarte Outdoor Light is available in Renson® standard textured coating colors. The lighting is not dimmable.

Linarte Even is available in 2 heights with different options:

Overview

Linarte Outdoor Light Small



Single plug socket

12" Height Depth 4" Width 3"



Single lamp



Double lamp Front & back



Lamp with plug socket

Linarte Outdoor Light Medium



Single plug socket

Height 20" 4" Depth 3" Width



Single lamp



Double lamp Front & back



Lamp with plug socket



LINARTE MODULO SYSTEM

Linarte Block 30 & Linarte Even models. Seating element or planter edge in thermoes. Optional with indirect lighting at the bottom or direct lighting with LED modules. Available in Renson® standard textured coating colors.

Overview



Linarte Modulo 55 SIT



Linarte Modulo 97 SIT



Height

Length

Width



Linarte Modulo 55 PLANT



17" Height Length adjustable Width 21"

17"

21"

21"

17"


38"

21"



Linarte Modulo COMBINATION







LINARTE ICON FREESTANDING WALL

Linarte Icon adds an extra dimension to the backyard. This architectural wall is available in a height and width according to your specific needs. The possibilities are endless. From a low garden wall, to a privacy barrier to spatial dividers that visually expand the garden, there are many options.

The vertical Linarte lines with Block 30 or Even blades form a seamless whole over the entire wall. In addition, one of the two sides can also be fitted with a stretched glass fiber fabric of your choice, which brings the inside into your outside. Material and color can be matched to the outdoor furniture if required. Create an inviting atmosphere by adding Linarte LEDs or wood inserts. Coated in any color of your choice, the Linarte Icon in combination with the Linarte siding elements, seating elements, lighting, and Linarte wall in Camargue form one coherent whole around the house and throughout the backyard.







Sleek design

 Create a uniform look and feel with your wall cladding throughout your backyard with the Renson® Outdoor Concept range.

Customizable

- Combination of Linarte profiles, canvas, or single-sided finish.
- RAL color of your choice.
- Cedar inserts or LED modules.
- Indirect lighting.

Durable quality

- Posts in 9/64"-thick steel
- Finishing in high-quality aluminum, weatherproof and recyclable.

Maintenance friendly

Colorfast, easy to clean.

Dimensions

- Width: min. 50"
- Height: min. 15 3/4" max 78".
- Thickness: min. 6" max. 7"
- Distance between 2 posts: max. 47"
- Depth for concrete: 29"



ESAFE MAIL BOXES

A driveway is invariably the calling card of a house & backyard! By choosing the right style and materi-als, your driveway should have the same look as your dream home.

With a uniquely designed eSafe mail box, you've taken care of your home's final touch. From now on, you will receive all your parcels safely at home 24/7.

A lot easier!

- Sleek design
- Available in all RAL colors
- Strong, quality powder coating
- Stainless aluminum
- Personalization & integration (number, name, color, digital lock, doorbell, videophone)
- Made in Belgium

Discover the full eSafe range of mail boxes at **www.my-esafe.be**











WARRANTY*







	Structural elements	Motors and electronic controls	Coating gloss and color	Coating adhesion	Zipshade® technology (zips)	Crystal belt
Camargue®	10 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Camargue® Skye	5 years- 10 years***	2 years	5 years / 15 years*	10 years**	5 years	2 years
Algarve® Line	7 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Aero® Line	7 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Lapure®	5 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Façade elements	10 years	2 years	5 years / 15 years*	10 years**	-	-
Garden elements	5 years	2 years	5 years / 15 years*	10 years**	-	-



Register your patio cover within 15 days of its installation and receive



WARRANTY

www.renson-outdoor.com/warranty



^{*} The color and gloss of the paint is guaranteed for 5 years. If you register the patio cover and annually clean and protect it with the Renson Maintenance Set, you get an extended paint warranty of up to 15 years.

^{*} Subject to registration and annual maintenance using the Renson® Maintenance Set
** In areas < 500 m from a coastline: 5-year warranty on adhesion
*** 10-year warranty on the load-bearing structure and 5-year warranty on the mechanical parts

MAINTENANCE

Easy maintenance using the Renson® Maintenance Set

Your louvered roof, canvas or pergola will be fully exposed to the elements for many years. To ensure you can make the most of your Renson® product at all times, we recommend regular maintenance, i.e. once or twice a year. Regular maintenance will extend its lifespan. The following are important:

- The structure is made using powder coated aluminum. An annual cleaning using the Renson Maintenance Set products will ensure that the intense color is maintained for years, as well as providing extra protection from acid rain, sea air, and UV rays. We recommend carrying out maintenance on your installations at least twice a year in coastal or wooded areas.
- The Renson 'Clean' is a concentrated product with strong cleaning and degreasing properties to deal with the most frequent kinds of natural filth, such as dust, oily precipitation, grease stains, moss, insect remains, etc. This product cannot be compared to other cleaning products on the market. It penetrates deeply and 'lifts out' the dirt. Renson 'Clean' can also be used to clean polyester roof fabrics and vertical glass fiber fabric screens.

After cleaning, you must protect the aluminum structure using **Renson** 'Protect'. This leaves a protective film that allows the surface to cleaned by simply wiping it down using a minimum amount of **Renson** 'Clean'. It also protects the aluminum from acid rain, sea air and UV rays, and ensures the color remains just as intense.

Do not use either product in direct sunlight or in hot weather. The product's quick-drying action can leave stains on the structure or the fabric screen. Do not use corrosive or aggressive products, scouring pads or other scouring products. Do not use high-pressure equipment in any case whatsoever.

WHO DO I CONTACT FOR RENSON® PRODUCTS?

We have built up a network of well-trained Ambassadors and Installers to guarantee that our high-quality and durable outdoor solutions are also installed professionally.


Renson® Ambassadors demonstrate our products in their showrooms and ensure that everything is placed in a professionally sound manner. In addition, they also guarantee professional after-sales service.

Also see www.renson-outdoor.com











Creating healthy spaces

RENSON® Headquarters Maalbeekstraat 10, IZ 2 Vijverdam B-8790 Waregem Tel. +32 (0)56 30 30 00 info@renson.eu www.renson-outdoor.com













RENSON® Inc. 3755 N. Josey Ln #116848, Carrollton, TX 75007, USA Tel. +1 310 658 4878 usa@renson.net www.renson-outdoor.com

